, , , , , , , , , , , , , , , , , , , ,	ATEO DATENT AND TECS	STAADY OFFICE		
•	ATES PATENT AND TRANS	EMARK OFFICE	3	· C
In re Patent Application of	Atty Dkt. 737-235 C# M#		(a de
SESSER et al.			L	ر ا
Serial No. 10/634,747	Examiner: Nguyen		l l	
Serial No. 10/634,747 0C1 27 2000 E	Date: October 27, 20	05		
Title: ADJUSTABLE ARCADJUSTABLE FLOW F	RATE SPRINKLER			
Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450				
Ŝir:	ONSE/AMENDMENT/LETT	FR		
This is a response/amendment/letter in the above incorporated by reference and the signature below signature thereon.	e-identified application and i	includes an attachment which is h	ereby of any other	
☐ Correspondence Address Indicat	ion Form Attached.			
Fees are attached as calculated below: Total effective claims after amendment previously paid for 30 (at least 20) =		\$50.00 (1202)/\$25.00 (2202)	\$ 25.00	0
Independent claims after amendment previously paid for 4 (at least 3) =	minus highest number 0 x \$200.00	\$0.00 (1201)/\$0.00 (2201)	\$	
If proper multiple dependent claims now added	for first time, (ignore improp-	er); add		
Petition is hereby made to extend the current d paper and attachment(s)	One Month Extension Two Month Extensions \$ Three Month Extensions \$	\$360.00 (1051)/\$180.00 (2051) ling date of this \$120.00 (1251)/\$60.00 (2251) \$450.00 (1252)/\$225.00 (2252) 1020.00 (1253/\$510.00 (2253) \$1590.00 (1254/\$795.00 (2254)		
Terminal disclaimer enclosed, add		\$130.00 (1814)/ \$65.00 (2814)	\$	
☐ Applicant claims "small entity" status. ☐	Statement filed herewith			
Rule 56 Information Disclosure Statement Filing	g Fee	\$180.00 (1806)	\$	
Assignment Recording Fee		\$40.00 (8021)	\$	
Other:			\$	
		TOTAL FEE ENCLOSED	\$ 25.00	0

The Commissioner is hereby authorized to charge any <u>deficiency</u>, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140. A <u>duplicate</u> copy of this sheet is attached.

901 North Glebe Road, 11th Floor Arlington, Virginia 22203-1808 Telephone: (703) 816-4000 Facsimile: (703) 816-4100

MJK:rrl

NIXON & VANDERHYE P.C.

By Atty: Michael J Keenan, Reg. No. 32,106

Signature:

In re Patent Application of

SESSER et al.

Atty. Ref.: 737-235; Confirmation No. 7862

Appl. No. 10/634,747

TC/A.U. 3752

Filed: August 6, 2003

Examiner: Nguyen

For: ADJUSTABLE ARC, ADJUSTABLE FLOW RATE SPRINKLER

October 27, 2005

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

AMENDMENT

In response to the official action of August 8, 2005, please amend the above-identified application as follows:

Amendments to the Specification begin on page 2.

Amendments to the Claims are reflected in the listing of claims which begins on page 3.

Remarks/Arguments begin on page 11.

10/28/2005 JADDO1

00000108 10634747

01 FC:2202

25.00 OP